

**Test Report No.:** SHAEC24009109421 **Date:** May 15, 2024 Page 1 of 31

Client Name: Eterkon Semiconductor Materials Co., Ltd.

Client Address: 267 QINGYANG ROAD, KUNSHAN JIANGSU PROVINCE, CHINA

Sample Name: EPOXY MOLDING COMPOUND

Model No.: EK-5600G

Client Ref. Information: SEE ATTACHMENT

Lot No.: 2024.05

The above sample(s) and information were provided by the client.

SGS Job No.: SHP24-013766 Sample Receiving Date: May 07, 2024

Testing Period: May 07, 2024 ~ May 14, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass
Tetrabromobisphenol A (TBBP-A)	See Results
Alkanes C14-C17, chloro (medium- chain chlorinated paraffins) (MCCPs)	See Results
Alkanes C10-C13, chloro (short chain-chlorinated paraffins) (SCCPs)	See Results
Element(s)	See Results
Halogen	See Results
Hexabromocyclododecane (HBCDD)	See Results

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Annie Lin

Annie Liu

**Approved Signatory** 





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 · 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 t HL (86–21) 61402594 f HL (86–21)61156899

www.sgsgroup.com.cn e sgs.china@sgs.com



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 2 of 31

Test Requirement	Conclusion
Phthalates	See Results
Polychlorinated Biphenyls (PCBs)	See Results
Polychlorinated Naphthalenes(PCNs)	See Results
Polychlorinated Terphenyls (PCTs)	See Results
Polyvinyl chloride (PVC)	See Results
Red Phosphorus	See Results
SS-00259- Twenty-first Edition- Long-chain (C9-C21, including C9-C14) perfluorocarboxylic acids (PFCAs) and its salts and related substances	See Results
Organic-tin compounds	See Results
Perfluorooctane sulfonates (PFOS) and its derivatives and Perfluorooctanoic acid (PFOA) and its salts	See Results
SS-00259- Twenty-first Edition- Perfluorohexane acid (PFHxA) and its salts	See Results
AfPS GS 2019:01 PAK-Polycyclic Aromatic Hydrocarbons (PAHs)	See Results

### Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	A4	SHA24-0091094-0001.C004	Black solid

#### Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017,

IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES/AAS, UV-

Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A4
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND
Monobrominated biphenyl (MonoBB)	-	ma/ka	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx">httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 3 of 31

Test Item(s)	Limit	Unit(s)	MDL	A4
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

#### Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

### **Tetrabromobisphenol A (TBBP-A)**

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by GC-MS or LC-MS or LC-MS/MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Tetrabromobisphenol A(TBBP-A)	79-94-7	mg/kg	10	ND

### Alkanes C14-C17, chloro (medium- chain chlorinated paraffins) (MCCPs)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention:\*\* To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention:\*\* To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*\*

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



**Test Report** No.: SHAEC24009109421 Page 4 of 31 **Date:** May 15, 2024

Test Method: With reference to ISO 22818:2021, analysis was performed by GC-NCI-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Alkanes C <sub>14</sub> -C <sub>17</sub> , chloro (medium- chain chlorinated paraffins) (MCCPs)	85535-85-9 and others	mg/kg	50	ND

# Alkanes C10-C13, chloro (short chain-chlorinated paraffins) (SCCPs)

Test Method: With reference to ISO 18219-1:2021, analysis was performed by GC-NCI-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Short Chain Chlorinated Paraffin(C <sub>10</sub> -C <sub>13</sub> )(SCCP)	85535-84-8	mg/kg	50	ND

### Element(s)

Test Method: With reference to US EPA 3052:1996, analysis was performed by ICP-OES/AAS.

Test Item(s)	Unit(s)	MDL	A4
Arsenic(As)	mg/kg	10	ND
Beryllium(Be)	mg/kg	5	ND
Phosphorus(P)	mg/kg	20	113
Antimony(Sb)	mg/kg	10	ND

### <u>Halogen</u>

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	Unit(s)	MDL	A4
Fluorine(F)	mg/kg	20	ND
Chlorine(Cl)	mg/kg	50	ND
Bromine(Br)	mg/kg	50	ND
lodine(I)	mg/kg	50	ND

### Hexabromocyclododecane (HBCDD)

With reference to IEC 62321-9:2021, analysis was performed by GC-MS. Test Method:

CAS No.	Unit(s)	MDL	A4
134237-50-6			
		00	ND
	mg/kg	20	ND
	0.10.101	134237-50-6 /134237-51-7 /134237-52-8 mg/kg /25637-99-4	134237-50-6 /134237-51-7 /134237-52-8 mg/kg 20 /25637-99-4

### **Phthalates**

Test Method: With reference to IEC 62321-8:2017, analysis was performed by GC-MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 5 of 31

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Diisononyl Phthalate (DINP)	28553-12-0 /68515-48-0	mg/kg	50	ND
Di-n-Octyl Phthalate(DNOP)	117-84-0	mg/kg	50	ND
Diisodecyl Phthalate (DIDP)	26761-40-0 /68515-49-1	mg/kg	50	ND
Bis(2-methoxyethyl)phthalate(DMEP)	117-82-8	mg/kg	50	ND
Di-n-Hexyl Phthalate(DnHP)	84-75-3	mg/kg	50	ND
Dipentyl Phthalate (DPENP/DnPP)	131-18-0	mg/kg	50	ND
Diphenyl Phthalate(DPhP)	84-62-8	mg/kg	50	ND
Dimethyl Phthalate(DMP)	131-11-3	mg/kg	50	ND
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	ND
Dipropyl Phthalate(DPrP)	131-16-8	mg/kg	50	ND
Dicyclohexyl Phthalate(DCHP)	84-61-7	mg/kg	50	ND
Dibenzyl Phthalate(DBzP)	523-31-9	mg/kg	50	ND
Dinonyl Phthalate(DNP)	84-76-4	mg/kg	50	ND
Diisooctyl Phthalate(DIOP)	27554-26-3	mg/kg	50	ND
Diisopentyl Phthalate(DIPP)	605-50-5	mg/kg	50	ND
1,2-Benzenedicarboxylic Acid,di-C6-8-branched alkyl esters,C7-rich(DIHP)	71888-89-6	mg/kg	50	ND
1,2-Benzenedicarboxylic Acid,Di-C7-11- Branched and Linear Alkyl Esters(DHNUP)	68515-42-4	mg/kg	50	ND
1,2-Benzenedicarboxylic Acid,di-C6-10- Alkyl Esters1,2-Benzenedicarboxylic Acid,Mixed Decyl and Hexyl and Octyl Diesters with ≥ 0.3% of Dihexyl Phthalate	68515-51-5 /68648-93-1	mg/kg	100	ND

### **Polychlorinated Biphenyls (PCBs)**

Test Method: With reference to US EPA 8082A:2007, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
2,4,4'-Trichlorobiphenyl (PCB28)	7012-37-5	mg/kg	0.5	ND
2,2',5,5'-Tetrachlorobiphenyl (PCB52)	35693-99-3	mg/kg	0.5	ND
2,2',4,5,5'-Pentachlorobiphenyl (PCB101)	37680-73-2	mg/kg	0.5	ND
2,3',4,4',5-Pentachlorobiphenyl (PCB118)	31508-00-6	mg/kg	0.5	ND
2,2',3,4,4',5'-Hexachlorobiphenyl (PCB138)	35065-28-2	mg/kg	0.5	ND
2,2',4,4',5,5'-Hexachlorobiphenyl (PCB153)	35065-27-1	mg/kg	0.5	ND
2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB180)	35065-29-3	mg/kg	0.5	ND
Sum of PCBs	-	mg/kg	-	ND

### Polychlorinated Naphthalenes(PCNs)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 6 of 31

Test Method: With reference to US EPA 8082A:2007, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
1-Chlorinated Naphthalene	90-13-1	mg/kg	5	ND
2-Chlorinated Naphthalene	91-58-7	mg/kg	5	ND
1,4- Dichlorinated Naphthalene	1825-31-6	mg/kg	5	ND
1,5-Dichlorinated Naphthalene	1825-30-5	mg/kg	5	ND
1,2-Dichlorinated Naphthalene	2050-69-3	mg/kg	5	ND
1,8-Dichlorinated Naphthalene	2050-74-0	mg/kg	5	ND
1,2,3-Trichlorinated Naphthalene	50402-52-3	mg/kg	5	ND
1,2,3,4-Tetrachlorinated Naphthalene	20020-02-4	mg/kg	5	ND
1,2,3,4,6-Pentachlorinated Naphthalene	67922-26-3	mg/kg	5	ND
Octa-chlorinated Naphthalene	2234-13-1	mg/kg	5	ND

### **Polychlorinated Terphenyls (PCTs)**

Test Method: With reference to US EPA 8082A: 2007, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Aroclor 5432	63496-31-1	mg/kg	0.5	ND
Aroclor 5442	12642-23-8	mg/kg	0.5	ND
Aroclor 5460	11126-42-4	mg/kg	0.5	ND
Sum of PCT	-	mg/kg	-	ND

## Polyvinyl chloride (PVC)

Test Method: With reference to SGS in house method, analysis was performed by FTIR/HATR.

Test Item(s)	A4
Polyvinyl chloride (PVC)	Negative

#### Notes:

(1) Negative=Undetectable, Positive=Detectable

### **Red Phosphorus**

Test Method: With reference to SGS In house method, analysis was performed by ICP-OES and

Pyrolysis-GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Red Phosphorus	7723-14-0	mg/kg	500	ND

#### Notes:

(1) The testing result is based on the worst-case scenario, and confirmed by Pyrolysis-GC-MS.

### SS-00259- Twenty-first Edition- Long-chain (C9-C21, including C9-C14) perfluorocarboxylic acids (PFCAs) and its salts and related substances

Modified CEN/TS 15968:2010, analysis was performed by LC-MS or LC-MS/MS and GC-Test Method: MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues differed therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to list Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery of salification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 7 of 31

No.: SHAEC240	109421	Date: May	15, 2024	Page / of
Test Item(s)	CAS No.	Unit(s)	MDL	A4
C9-C14 PFCA, their salts				
Perfluorononane Acid (PFNA), its salts^	375-95-1	mg/kg	0.010	ND
Perfluorodecane Acid (PFDA), its salts^	335-76-2	mg/kg	0.010	ND
Perfluoroundecanoic Acid (PFUnDA), its	2050 04 0		0.040	ND
salts^	2058-94-8	mg/kg	0.010	ND
Perfluorododecanoic Acid (PFDoDA), its	307-55-1	mg/kg	0.010	ND
salts^	307-33-1	mg/kg	0.010	IND
Perfluorotridecanoic Acid (PFTrDA), its	72629-94-8	mg/kg	0.010	ND
salts^				
Perfluorotetradecanoic Acid (PFTDA)	376-06-7	mg/kg	0.010	ND
Perfluoro-3,7-dimethyloctanoic Acid (PF-	172155-07-6	mg/kg	0.010	ND
3,7-DMOA)				
Sum of C9-C14 PFCA, their salts	-	mg/kg	-	ND
C9-C14 PFCA-related substances	T	Ī	T I	
Perfluorodecane Sulfonate (PFDS), its	335-77-3	mg/kg	0.010	ND
salts^ 1H,1H,2H,2H-Perfluoro-1-dodecanol				
(10:2 FTOH)	865-86-1	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorododecylacrylate				
(10:2 FTA)	17741-60-5	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorododecyl				
methacrylate (10:2 FTMA)	2144-54-9	mg/kg	0.100	ND
1H,1H,2H,2H-perfluorotetradecan-1-ol		_		
(12:2 FTOH)	39239-77-5	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorododecane	400000 00 0		0.040	ND
sulfonic acid (10:2 FTS)	120226-60-0	mg/kg	0.010	ND
1,1,2,2-Tetrahydroperfluorododecyl	2043-54-1	ma/ka	0.100	ND
iodide (10:2 FTI)	2043-34-1	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorotetradecyl iodide	30046-31-2	mg/kg	0.100	ND
(12:2 FTI)	30040 31 2	mg/kg	0.100	ND
Perfluorononane sulfonic acid (PFNS),	68259-12-1	mg/kg	0.010	ND
its salts^		mg/kg	0.010	110
Perfluoroundecane sulfonic acid	749786-16-1 /		0.040	
(PFUnDS)	441296-91-9	mg/kg	0.010	ND
Perfluorododecane sulfonic acid	(anion)			
(PFDoDS), its salts^	79780-39-5	mg/kg	0.010	ND
Perfluorotridecane sulfonic acid				
(PFTrDS), its salts^	791563-89-8	mg/kg	0.010	ND
10:2 Fluortelomerphosphatediester (10:2		_		
diPAP)	1895-26-7	mg/kg	0.100	ND
Perfluorodecyl iodide (PFDI)	423-62-1	mg/kg	0.100	ND
Perfluorododecyl iodide (PFDoDI)	307-60-8	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorodecanesulfonic				
acid (8:2 FTS), its salts^	39108-34-4	mg/kg	0.010	ND
1H,1H,2H,2H-Perfluorodecyl acrylate	2700F 4F 0	no e://. e	0.400	ND
(8:2 FTA)	27905-45-9	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorodecyl	1996-88-9	mg/kg	0.100	ND
methacrylate (8:2 FTMA)	1990-00-9	mg/kg	0.100	טאו



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond eport & certificate, please contact us at telephone: (86-755) 8307 1443,

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



**Test Report No.:** SHAEC24009109421 **Date:** May 15, 2024 Page 8 of 31

Test Item(s)	CAS No.	Unit(s)	MDL	A4
2H,2H-Perfluorodecane Acid (H <sub>2</sub> PFDA/8:2 FTCA), its salts^	27854-31-5	mg/kg	0.010	ND
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	mg/kg	0.100	ND
1-lodo-1H,1H,2H,2H-perfluorodecane (8:2 FTI)	2043-53-0	mg/kg	0.100	ND
1H,1H,2H,2H- Perfluorodecyltriethoxysilane (8:2 FTSi(OC <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )	101947-16-4	mg/kg	0.100	ND
bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl) hydrogen phosphate (8:2 diPAP), its salts^	678-41-1	mg/kg	0.010	ND
2H,2H,3H,3H-Perfluoroundecanoic Acid (H <sub>4</sub> PFUnDA/ 8:3 FTCA), its salts^	34598-33-9	mg/kg	0.010	ND
1H,1H,2H-Heptadecafluoro-1-decene (PFDE)	21652-58-4	mg/kg	0.100	ND
Sum of C9-C14 PFCA-related substances	-	mg/kg	-	ND
Perfluorohexadecanoic Acid (PFHxDA)	67905-19-5	mg/kg	0.010	ND
Perfluorooctadecanoic Acid (PFODA)	16517-11-6	mg/kg	0.010	ND
Pentadecanoic acid, nonacosafluoro (PFPeDA)	141074-63-7	mg/kg	0.010	ND
Perfluoroheptadecanoic acid (PFHpDA)	57475-95-3	mg/kg	0.100	ND
Perfluorononadecanoic acid (PFNDA)	133921-38-7	mg/kg	0.100	ND
Eicosanoic acid, nonatriacontafluoro (PFECA)	68310-12-3	mg/kg	0.100	ND
Perfluoro heneicosanoic acid (PFHEA)	-	mg/kg	0.100	ND

#### Notes:

(1) ^=Substances refer to its salts/derivative listed in below table.

Substance Name	CAS No.
PFNA, its salts	
Perfluorononane Acid (PFNA)	375-95-1
Perfluorononanoate Na-Salt (PFNA-Na)	21049-39-8
Nonanoic acid, heptadecafluoro-, ammonium salt (PFNA-NH <sub>4</sub> )	4149-60-4
Potassium perfluorononanoate (PFNA-K)	21049-38-7
Perfluorononanoate Li-Salt (PFNA-Li)	60871-92-3
Silver perfluorononanoate (PFNA-Ag)	7358-16-9
PFDA, its salts	
Perfluorodecane Acid (PFDA)	335-76-2
Sodium perfluorodecanoate (PFDA-Na)	3830-45-3
Perfluorodecanoate ammonium salt (PFDA-NH <sub>4</sub> )	3108-42-7
Potassium perfluorodecanoate (PFDA-K)	51604-85-4
Silver perfluorodecanoate (PFDA-Ag)	5784-82-7
Lithium perfluorodecanoate (PFDA-Li)	84743-32-8
PFUnDA, its salts	
Perfluoroundecanoic Acid (PFUnDA)	2058-94-8
Perfluoroundecanoic acid sodium salt (PFUnDA-Na)	60871-96-7
Ammonium perfluoroundecanoate (PFUnDA-NH <sub>4</sub> )	4234-23-5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx">httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN\_Doccheck@sgs.com |3"Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn

中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t HL (86–21) 61402594 f HL (86–21)61156899 e s

www.sgsgroup.com.cn e sgs.china@sgs.com



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 9 of 31

• • • • • • • • • • • • • • • • • • • •	, -, -
Potassium perfluoroundecanoate (PFUnDA-K)	30377-53-8
Calcium perfluoroundecanoate (PFUnDA-Ca)	97163-17-2
PFDoDA, its salts	
Perfluorododecanoic Acid (PFDoDA)	307-55-1
Ammonium tricosafluorododecanoate (PFDoDA-NH <sub>4</sub> )	3793-74-6
Sodium perfluorododecanoate (PFDoDA-Na)	60872-01-7
PFTrDA, its salts	
Perfluorotridecanoic Acid (PFTrDA)	72629-94-8
Ammonium perfluorotridecanoate (PFTrDA-NH <sub>4</sub> )	4288-72-6
PFDS, its salts	
Perfluorodecane Sulfonate (PFDS)	335-77-3
Perfluorodecanesulfonate Na-salt (PFDS-Na)	2806-15-7
Perfluorodecanesulfonate K-salt (PFDS-K)	2806-16-8
Perfluorodecanesulfonic acid ammonium salt (PFDS-NH <sub>4</sub> )	67906-42-7
PFNS, its salts	
Perfluoro nonane sulfonic acid (PFNS)	68259-12-1
Sodium perfluoro-1-nonanesulfonate (PFNS-Na)	98789-57-2
ammonium nonadecafluorononanesulphonate (PFNS-NH <sub>4</sub> )	17202-41-4
PotassiuM perfluorononanesulfonate (PFNS-K)	29359-39-5
PFDoDS, its salts	
Perfluorododecanesulfonic acid (PFDoDS)	79780-39-5
Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na)	1260224-54-1
PFTrDS, its salts	
Perfluorotridecane sulfonic acid (PFTrDS)	791563-89-8
Sodium perfluoro-1-tridecanesulfonate (PFTrDS-Na)	174675-49-1
8:2 FTS, its salts	
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4
Potassium 1H,1H,2H,2H-Perfluorodencane sulfonate (8:2 FTS-K)	438237-73-1
Ammonium 1H,1H,2H,2H-Perfluorodencane sulfonate (8:2 FTS-	149724-40-3
NH <sub>4</sub> )	
Sodium 1H,1H,2H,2H-Perfluorodencane sulfonate (8:2 FTS-Na)	27619-96-1
H₂PFDA/8:2 FTCA, its salts	
2H,2H-Perfluorodecane Acid (H₂PFDA/8:2 FTCA)	27854-31-5
Tetrabutylphosphonium 2H,2H-Perfluorodecanoate (8:2 FTCA-	882489-14-7
$P(C_4H_9)_4)$	
8:2diPAP, its salts	
Bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl)	678-41-1
hydrogen phosphate (8:2diPAP)	
Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-	114519-85-6
Na)	
H₄PFUnDA/ 8:3 FTCA, its salts	
2H,2H,3H,3H-Perfluoroundecanoic acid (H <sub>4</sub> PFUnDA/ 8:3 FTCA)	34598-33-9
Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H <sub>4</sub> PFUnDA-K)	83310-58-1

# Organic-tin compounds

Test Method: With reference to ISO 17353:2004, analysis was performed by GC-MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



**Test Report Date:** May 15, 2024 Page 10 of 31 No.: SHAEC24009109421

Test Item(s)	Unit(s)	MDL	A4
Dibutyl tin(DBT)	mg/kg	0.02	ND
Tributyl tin(TBT)	mg/kg	0.02	ND
Dioctyl tin(DOT)	mg/kg	0.02	ND
Tri-n-propyltin(TPT)	mg/kg	0.02	ND
Bis(tributyltin) oxide (TBTO) ◆	mg/kg	0.02	ND

#### Notes:

(1) ◆ TBTO is back calculated based on the worst-case scenario of TBT.

### Perfluorooctane sulfonates (PFOS) and its derivatives and Perfluorooctanoic acid (PFOA) and its salts

Test Method: Modified CEN/TS 15968:2010, analysis was performed by HPLC-MS or LC-MS/MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4	
PFOS, its salts and related compounds					
PFOS and its derivatives	-	mg/kg	-	ND	
Perfluorooctane sulfonates (PFOS), its salts^	1763-23-1	mg/kg	0.010	ND	
N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)	4151-50-2	mg/kg	0.010	ND	
N-methylperfluoro-1-octanesulfonamide (N-MeFOSA)	31506-32-8	mg/kg	0.010	ND	
2-(N-ethylperfluoro-1- octanesulfonamido) -ethanol (N- EtFOSE)	1691-99-2	mg/kg	0.010	ND	
2-(N-methylperfluoro-1- octanesulfonamido) -ethanol (N- MeFOSE)	24448-09-7	mg/kg	0.010	ND	
Perfluorooctane Sulfonamide (PFOSA), its salts^	754-91-6	mg/kg	0.010	ND	
PFOA, its salts					
Perfluorooctanoic acid (PFOA), its salts^	335-67-1	mg/kg	0.010	ND	

### Notes:

<sup>1. ^=</sup>Substances refer to its salts/derivative listed in below table.

Substance Name	CAS No.
PFOS, its salts & derivatives	
Perfluorooctane sulfonates (PFOS)	1763-23-1
Potassium Perfluorooctanesulfonate (PFOS-K)	2795-39-3
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
Sodium perfluorooctanesulfonate (PFOS-Na)	4021-47-0
Ammonium perfluorooctanesulfonate (PFOS-NH <sub>4</sub> )	29081-56-9
Perfluorooctane sulfonate diethanolamine salt (PFOS-NH <sub>2</sub> (C <sub>2</sub> H <sub>4</sub> OH) <sub>2</sub> )	70225-14-8
Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	56773-42-3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 11 of 31

-	
N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-N( $C_{10}H_{21}$ ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> )	251099-16-8
Perfluorooctane Sulfonyl fluoride (PFOS-F)	307-35-7
Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)	91036-71-4
Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
PFOSA, its salts	
Perfluorooctane Sulfonamide (PFOSA)	754-91-6
Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
PFOA, its salts	
Perfluorooctanoic acid (PFOA)	335-67-1
Sodium perfluorooctanoate (PFOA-Na)	335-95-5
Potassium perfluorooctanoate (PFOA-K)	2395-00-8
Silver perfluorooctanoate (PFOA-Ag)	335-93-3
Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
Lithium perfluorooctanoate(PFOA-Li)	17125-58-5

# SS-00259- Twenty-first Edition- Perfluorohexane acid (PFHxA) and its salts

Test Method: Modified CEN/TS 15968:2010, analysis was performed by LC-MS or LC-MS/MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Perfluorohexane Acid (PFHxA), its salts^	307-24-4	mg/kg	0.010	ND
Perfluorohexane Sulfonate (PFHxS)	355-46-4	mg/kg	0.010	ND

#### Notes:

(1) ^=Substances refer to its salts/derivative listed in below table.

Substance Name	CAS No.
PFHxA, its salts & derivatives	
Perfluorohexane Acid (PFHxA)	307-24-4
Ammonium perfluorohexanoate (APFHx)	21615-47-4
Sodium perfluorohexanoate (PFHxA-Na)	2923-26-4
Potassium perfluorohexanoate(PFHxA-K)	3109-94-2
Perfluorohexanoyl fluoride (PFHxA-F)	355-38-4
Silver perfluorohexanoate (PFHxA-Ag)	336-02-7
Lithium perfluorohexanoate (PFHxA-Li)	90430-61-8

### AfPS GS 2019:01 PAK-Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Benzo(a)pyrene(BaP)	50-32-8	mg/kg	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 12 of 31

Test Item(s)	CAS No.	Unit(s)	MDL	A4
Benzo(e)pyrene(BeP)	192-97-2	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	mg/kg	0.1	ND
Benzo(b)Fluoranthene(BbF)	205-99-2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	mg/kg	0.1	ND
Benzo(k)Fluoranthene(BkF)	207-08-9	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	mg/kg	0.1	ND
Dibenzo(a,h)Anthracene(DBA)	53-70-3	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	mg/kg	0.1	ND
Sum of Phenanthrene(PHE),				
Pyrene(PYR), Anthracene(ANT),	-	mg/kg	-	ND
Fluoranthene(FLT)				
Naphthalene(NAP)	91-20-3	mg/kg	0.1	ND
Sum of 15 PAHs		mg/kg	-	ND
Material Category	-	-	-	-

#### Notes:

# AfPS (German commission for Product Safety): PAHs requirements

	Category 1	Catego	Category 2		Category 3	
Parameter  Parameter	intended to be placed in the mouth, or materials coming into long-term contact with skin	Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact <sup>c</sup> with skin during the intended or foreseeable use <sup>d</sup> .		Materials covered neither by category 1 nor by category 2, coming into short-term contact (up to 30s) with skin during the intended or foreseeable use.		
	a. use by children	b. other consumer products	a. use by children	b. other consumer products		
Benzo(a)pyrene (BaP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo(e)pyrene (BeP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo(a)anthracene (BaA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 13 of 31

Sum of 15 PAHs	<1	< 5	< 10	< 20	< 50
Naphthalene (NAP) mg/kg	< 1	< 2		< 10	
Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT), mg/kg	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Indeno(1,2,3-cd)pyrene (IPY) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene (BPE) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracen e (DBA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene (CHR) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene (BkF)mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene (BjF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene (BbF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1

#### Notes:

#### Remark:

The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1,

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

<sup>&</sup>lt;sup>a</sup> A "Child" is legally defined as a person before reaching the age of 14 years.

<sup>&</sup>lt;sup>b</sup> Use by children includes both active and passive contact by children.

<sup>&</sup>lt;sup>c</sup> Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No.1272/2013)

<sup>&</sup>lt;sup>d</sup> According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28)

<sup>&</sup>quot;foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.



# **Test Report**


**ATTACHMENTS** 

No.: SHAEC24009109421 **Date:** May 15, 2024

Page 14 of 31

### **Elements Testing Flow Chart**

These samples were dissolved totally by pre-conditioning method according to below flow chart.






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx">httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



## Hexavalent Chromium (Cr(VI)) Testing Flow Chart





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443 or email: CN.Doccheck@sqs.com


3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 · 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.s t HL (86–21) 61402594 f HL (86–21)61156899 e sgs

Page 15 of 31



No.: SHAEC24009109421 Date: May 15, 2024 Page 16 of 31

### **PBB/PBDE Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 **Date:** May 15, 2024 Page 17 of 31

### **Phthalates Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



No.: SHAEC24009109421 **Date:** May 15, 2024 Page 18 of 31

# **Chlorinated Paraffin Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



No.: SHAEC24009109421 Date: May 15, 2024 Page 19 of 31

# **Elements Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 Date: May 15, 2024 Page 20 of 31

### **Halogen Testing Flow Chart**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx">httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 Date: May 15, 2024 Page 21 of 31

### **HBCDD Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



No.: SHAEC24009109421 **Date:** May 15, 2024 Page 22 of 31

# **PCB Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 Date: May 15, 2024 Page 23 of 31

# **PCN Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



No.: SHAEC24009109421 Date: May 15, 2024 Page 24 of 31

# **PCT Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 Date: May 15, 2024 Page 25 of 31

# **PVC Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 Date: May 15, 2024 Page 26 of 31

# **Red Phosphorus Testing Flow Chart**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 **Date:** May 15, 2024 Page 27 of 31

# PFASs/ PFOS/PFOA Testing Flow Chart






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 Date: May 15, 2024 Page 28 of 31

### **Organotin Testing Flow Chart**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-p-Document.aspx">httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



No.: SHAEC24009109421 **Date:** May 15, 2024 Page 29 of 31

# **PAHs Testing Flow Chart**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 30 of 31

Attachment:

EK-3600G, EK-3600GH, EK-3600GC, EK-3600GR

EK-3600GK, EK-3600GI.EK-3600GL.EK-3600GLR, EK-3600GLRT

EK-3600GHB, EK-3600GHC, EK-3600GHR,

EK-3600GHL, EK-3600GHJ, EK-3600GHK,

EK-3600GHV, EK-3600GHI, EK-3600GHQ, EK3600GHQT

EK-3600GHT, EK-3600GHV-N

EK-3600GSA,EK-3600GKS,EK-3600GHA, EK-3600GKS-N,EK-3600GHN

EK-3600G-FK,EK-3600GH-CRM,EK-3600GH-J,EK-3600GM,EK-3600GHBT, EK-3600GHST,

EK-3600GAH3.0

EK-5600G, EK-5600GH, EK-5600GHI, EK-5600GT, EK-5600GR, EK-5600GHA, EK-5600GHV-N EK-5600GK, EK-5600GDK,EK-5600GDF,EK-5600GL, EK-5600GC,EK-5600GLR,EK-5600GLRT

EK-5600GHC.EK-5600GHQ, EK-5600GHR, EK-5600GHV, EK-5600GHY, EK-5600GHK,

EK-5600GHJ, EK-5600GYG, EK-5600GLS, EK-5600GHQS

EK-5600GHL, EK-5600GHT, EK-5600GTR, EK-5600GTL, EK-5600GAH, EK-5600GAH3.0,

EK-5600GAH3.5,EK-5600GAH4.0 EK-5600GT,EK-5600GTH,EK-5600GKS-N

EK-5600GKS,EK-5600GH-CRM,EK-5600GHR-CRM, EK-5600GHBT,EK-5600GHQT

EK-7600GS,EK-7600GL,EK-7600GH,EK-7600GK

EK-9600GMF,EK-9600GUF,EK-9600GC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*Attention:\*\* To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention:\*\* To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*\*

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



**Test Report** No.: SHAEC24009109421 **Date:** May 15, 2024 Page 31 of 31

Sample Photo:



SGS authenticate the photo on original report only \*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899